


OPEN

TRAY

 **CSTEC CORPORATION**



■角形トレー一覧表■

品名	トレー外寸			形状 (マス目の数)	マス目底寸法			入り数	材質	厚み	小ロット 販売
	縦	横	高さ		底縦	底横	高さ				
OTK-001	200	242	3.5	5×30列	4.5	32.5	3.5	700	APET	0.4	○
OTK-002	210	260	7	25×1列(底R)	7	187	7	600	APET	0.35	×
OTK-003	179	314	15	20×1列	8.5	156	15	1000	APET	0.3	×
OTK-004	183	343	13	20×1列	10	173	13	500	APET	0.35	○
OTK-005	190	278	10	4×10列	10	45	10	500	APET	0.3	○
OTK-006	270	585	17	35×1列	10	236	15	250	PS	0.5	×
OTK-007	232	284	15	15×3列(天)	11	64	15	500	APET	0.4	○
OTK-008	174	282	7	12×10列	12	18	3	500	APET	0.3	○
OTK-009	169	295	15	10×6列	12	43	15	500	APET	0.4	○
OTK-010	247	363	17	3×10列(変形)	13	106	17	350	APET	0.5	○
OTK-011	298	218	35	5×5列	49	31	35	400	APET	0.4	○
OTK-012	197	320	8	10×10列	14	26	3	500	APET	0.3	○
OTK-013	257	334	16	16×11列	14	17	16	400	APET	0.4	○
OTK-014	244	282	7	10×8列	14	26.5	7	500	APET	0.3	×
OTK-015	225	400	17	10×5列	14	66	17	300	PS	0.5	×
OTK-016	415	484	17	20×5列	14	66	17	160	PS	0.5	○
OTK-017	232	270	16	3×11列	15	79	16	320	APET	0.5	×
OTK-018	422	263	25	10×5列	44.8	35.8	25	300	APET	0.35	○
OTK-019	130	210	16	10×5列	15	19.5	16	800	APET	0.4	×
OTK-020	206.5	254.5	15	8×10列	15	26	15	500	APET	0.4	×
OTK-021	244	282	6	10×10列	15.5	19.5	6	500	APET	0.3	○
OTK-022	205	255	15	10×10列	15.9	20.9	15	500	APET	0.3	○
OTK-023	252	348	21	10×10列	19	30	21	400	APET	0.3	○
OTK-024	310	410	15	20×5列	16	50	15	150	APET	0.5	×
OTK-025	227	265	16	13×3列	16.5	68	16	320	APET	0.5	○
OTK-026	190	380	12	15×4列	17	35	12	500	APET	0.3	×
OTK-027	207	264	24	10マス	17	176	19	500	PS	0.4	×
OTK-028	250	336	20	2×10列	18	148	20	500	PS	0.3	○
OTK-029	254	254	20	2×10列	18	113	20	250	APET	0.35	×
OTK-030	198	253	23	10×5列	18	32	23	500	APET	0.4	○
OTK-031	232	194	15	10×5列(重積防止)	30	15	12	900	PP	0.4	○
OTK-032	256	256	29	10×10	18	18	29	500	APET	0.4	×
OTK-033	252	348	21	10×10列	19	30	21	400	PS	0.3	○
OTK-034	205	265	6	6×6列(変形)	19	30	6	800	PS	0.3	×
OTK-035	262	337	17	13×10列	19	19	17	400	APET	0.3	○
OTK-036	205	262	10	10×5列	19.5	34	10	600	APET	0.3	○
OTK-037	284	350	37	5×10列(変形)	20	60	37	300	APET	0.35	×
OTK-038	202	256	16	10×6列	20	28	6	500	APET	0.35	○
OTK-039	200	252	27	8×5列(変形)	22	31	27	600	APET	0.3	×
OTK-040	234	324	15	10×7列	24	24.5	10	300	PS	0.5	○
OTK-041	220	330	24	4×7列	25	76	24	300	PP	0.5	○
OTK-042	262	331	22	10×5列	25	46	22	250	APET	0.4	○
OTK-043	234	298	15	10×7列	25	28.5	15	500	APET	0.4	×
OTK-044	233.5	297.5	15	10×7列	25	28.5	15	500	PS	0.4	○
OTK-045	281	356	30	10×2列	25.5	127	30	300	APET	0.4	×
OTK-046	267	290	30	8×3列	26	90	30	400	APET	0.4	○
OTK-047	263	323	20.5	8×4列(変形)	26.8	58.8	20.5	400	APET	0.3	×
OTK-048	205	355	15	10×5列	27	32	15	400	PS	0.3	○
OTK-049	190	355	28.5	10×1	28	163	28.5	250	PS	0.4	○
OTK-050	249	372	15	10×5列	28	38	15	500	PS	0.4	○

■角形トレー一覧表■

品名	トレー外寸			形状 (マス目の数)	マス目底寸法			入り数	材質	厚み	小ロット 販売
	縦	横	高さ		底縦	底横	高さ				
OTK-051	199	258	34	5×5 列	29	43	34	500	APET	0.4	○
OTK-052	501	424	21	15×4 列	93	19.4	21	200	APET	0.3	×
OTK-053	288	288	30	8×8 列	30	30	30	150	PP	1	○
OTK-054	321	481	34	7×8 列	30	59	24	200	APET	0.4	×
OTK-055	238	215	30	5×5 列	37	34	30	500	APET	0.4	○
OTK-056	335	385	14.5	7×8 列	31	47	9	400	PS	0.3	×
OTK-057	320	480	29	7×8 列	32	59	29	150	APET	0.3	×
OTK-058	470	303	35	2×5 列(重積防止)	130	80	30	200	PP	0.5	×
OTK-059	215	259	30	6×5 列	34	34	30	500	APET	0.4	○
OTK-060	208	317	35	5×5 列	34	54	35	450	APET	0.35	○
OTK-061	327	218	24	10×3 列	64	24	24	300	PP	0.5	○
OTK-062	222	317	24	5×5 列	38.5	49.5	24	350	PP	0.5	○
OTK-063	246.5	280	21	5×4 列	38.5	60	19	500	APET	0.4	×
OTK-064	206	261	32	5×3 列	40	56	32	500	PVC	0.4	×
OTK-065	320	450	42	10×7 列	40	40	42	150	APET	0.4	○
OTK-066	230	306	10	6×2 列	41	109	5	500	PS	0.3	×
OTK-068	362	490	18	6×5 列	42	75	13	250	PP	0.5	×
OTK-069	265.5	444	36	4×5 列	44	99	36	250	APET	0.4	○
OTK-070	257	542	16	1×10 列	44	240	16	300	PP	0.4	○
OTK-071	358	474	18	9×4 列	44	80	12	130	PP	0.5	×
OTK-072	220	264	36	5×2 列	44	99	36	400	APET	0.4	×
OTK-073	480	315	24	5×10 列	87	23.5	24	200	PP	0.4	○
OTK-074	207	262	25	5×3 列	45	61	25	500	APET	0.4	○
OTK-075	241	401	29	7×1 列	362	26	29	250	APET	0.4	×
OTK-076	200	262	25	5×2 列	46	88	25	500	APET	0.4	×
OTK-077	365	492	27	5×3 列	46	134	22	130	PP	0.5	×
OTK-078	275	285	13	5×5 列	47	49	13	500	PP	0.4	○
OTK-079	180	230	32	4×3 列	47	47	32	500	APET	0.4	○
OTK-080	276	353	20	6×2 列	48	127	20	400	PP	0.3	○
OTK-081	270	444	51	7×4 列	48	57	51	200	PP	0.8	○
OTK-082	373	480	20	6×3 列	50	145	17	250	PP	0.5	×
OTK-083	360	487	22	6×4 列	50	100	19	130	PP	0.5	×
OTK-084	400	446	41	7×3 列(変形)	51	123	41	150	PS	0.4	×
OTK-085	363	486	20	8×5 列	51	62	20	170	PP	0.4	○
OTK-086	223	320	24	5×3 列	53.5	67.5	24	350	PP	0.5	○
OTK-087	310	400	30	5×4 列(変形)	54	81	30	180	APET	0.4	×
OTK-088	250	590	28	4×4 列	54	133	25	200	PP	0.4	○
OTK-089	223	320	24	5×2 列	55	103	24	350	PP	0.5	○
OTK-090	390	440	40	5×3 列(変形)	55	127	40	150	APET	0.4	×
OTK-091	350	380	20	5×5 列	56	61	20	250	PP	0.4	○
OTK-092	254	210	28	5×2 列	81	38	28	600	APET	0.3	○
OTK-093	393	430	30	6×2 列	56	180	30	200	PP	0.4	×
OTK-094	278	194	20	4×4 列	60	38	20	500	APET	0.4	○
OTK-095	186	136	5	25×1 列	159	3.5	3.5	1000	APET	0.3	×
OTK-096	284	429	30	5×4 列	59	73	30	300	APET	0.4	○
OTK-097	270	180	16	5×9 列	48.3	15.5	16	500	APET	0.3	○
OTK-098	346	500	35	4×5 列	60	110	35	100	PS	0.4	○
OTK-099	282	348	20	5×4 列	63	63	20	500	PS	0.3	○
OTK-100	270	180	16	9×8 列	27.3	15.5	16	500	APET	0.3	○

■角形トレー一覧表■

品名	トレー外寸			形状 (マス目の数)	マス目底寸法			入り数	材質	厚み	小ロット 販売
	縦	横	高さ		底縦	底横	高さ				
OTK-101	284	374	16	5×4 列	67	64	16	500	APET	0.3	×
OTK-102	337	477	25	3×4 列	70	139	25	200	APET	0.4	○
OTK-103	400	500	34	6×4 列	77	91	34	100	APET	0.5	×
OTK-104	272	450	71	3×5 列	82	82	60	150	PP	1	○
OTK-105	400	500	30	13	82	136	30	200	APET	0.5	×
OTK-106	202	277	51.5	3×2 列	83	91	51.5	400	APET	0.4	×
OTK-107	253	501	23	4×2 列	115	115	25	250	APET	0.4	○
OTK-109	324	387	30	3×2 列	100	124	25	250	APET	0.4	×
OTK-110	135	155	8	10×10 列	9	12	4	1000	APET	0.3	○
OTK-111	370	470	23	6×2 列	161	58	23	350	PP	0.4	○
OTK-112	330	530	10	5×10 列	44	56	5	250	PS帯電防止	0.4	×
OTK-113	215	169	20	3×8 列	17	45	20	600	APET	0.4	×
OTK-114	204	254	10	10×10 列(重積防止)	15	20	10	400	APET	0.3	○
OTK-115	251.5	372	25	7×10 列(重積防止)	27.5	30.5	27	200	APET	0.5	○
OTK-116	480	320	30	8×6 列	32	68	30	100	APET	0.5	○
OTK-117	500	331.5	30	4×10 列	24	116	30	200	PP	0.4	×
OTK-118	438	396	18	5×4 列	87	77	15	170	APET	0.4	×
OTK-119	300	207	13	5×6 列(重積防止)	43	34	9	600	PP	0.4	×
OTK-120	313	261.5	30	5×4 列(重積防止)	66	44	25	500	APET	0.4	○
OTK-121	300	270	18	5×2 列	43	140	18	400	APET	0.3	×
OTK-122	333	530	16	5×5 列(重積防止)	55	88	11	140	APET	0.4	×
OTK-123	270	380	18	3×6 列(重積防止)	52	82	13	300	PP	0.5	×
OTK-124	230	185	12	15×10 列	18.3	8.4	6	600	PS	0.4	○
OTK-125	334	257	16	16×11 列	14	17	16	400	APET	0.4	○
OTK-126	226	218	10	10×10 列	15	16	10	400	PP	0.4	○
OTK-127	336	494	21	10×6 列	26	74	21	250	PP	0.4	×
OTK-128	141	335	5	30×10 列	7.6	8	5	500	APET	0.4	×
OTK-129	552	403.8	35	2×2 列(重積防止)	180	230	35	130	APET	0.6	×
OTK-130	363	243	23	10×5 列	34	31	18	300	APET	0.4	○
OTK-131	226	275	24	6×1 列	38	202	24	400	APET	0.4	×
OTK-132	410	308	13	5×4 列(重積防止)	71	71	10	200	APET	0.4	○
OTK-133	358	493	35	7×2 列	61	145	32	160	PP	0.6	×
OTK-134	205	260	13	10×5 列	20	32.5	13	500	APET	0.4	○
OTK-135	226	275	21.5	1×7 列	30	205	21.5	400	APET	0.4	○
OTK-136	292	412	17	6×3 列(重積防止)	49	73	10	200	APET	0.4	○
OTK-137	300	230	35	5×5 列(重積防止)	48.3	37	30	300	PP	0.5	○
OTK-138	226	297	20	10×10 列(重積防止)	17.5	23	17	300	PP	0.8	○
OTK-139	400	500	20	6×4 列	78	78	20	150	APET	0.4	×
OTK-140	372	275	23	10×13 列	19	19	17	300	APET	0.4	×
OTK-141	210	310	8	20×10 列	10	13	4	500	APET	0.4	○
OTK-142	267	329	12	10×5 列	45	26	6	250	PS	0.4	○
OTK-143	208	156	18	5×6 列	36	21	5	750	APET	0.4	○
OTK-144	487	329	25	2×2 列	226	150	20	70	APET	0.6	×
OTK-145	440	270	52	2×4 列	200	55	43	100	APET	0.6	○
OTK-146	352	491	18	3×4 列(重積防止)	100	100	14	180	PP	0.6	○
OTK-147	265	329	10	10×10 列(重積防止)	20.2	26.2	5	250	APET	0.4	○
OTK-149	225	310	21	44	24.5	51	21	500	PP	0.3	×
OTK-150	333	490	23	5×3 列	73	98	18	300	PP	0.4	×

■角形トレー一覧表■

品名	トレー外寸			形状 (マス目の数)	マス目底寸法			入り数	材質	厚み	小ロット 販売
	縦	横	高さ		底縦	底横	高さ				
OTK-151	277	392	50	4×5 列	62	59	50	200	APET	0.6	×
OTK-152	252	361	29	7×5 列(重積防止)	33	44	29	350	APET	0.4	×
OTK-153	325	548	45	7×5 列(重積防止)	47	59	45	90	APET	0.5	○
OTK-154	336	226	22	5×10 列(重積防止)	25	36	17	400	APET	0.4	○
OTK-155	505	325	13	10×1 列(重積防止)	42	295.7	9	200	APET	0.4	×
OTK-156	262	365	52	3×4 列(重積防止)	50	97	48	300	APET	0.5	×
OTK-157	262	331	25	9×2 列	30.4	110.4	25	200	APET	0.4	×
OTK-158	327	486	20	5×9 列	29	89	20	300	PP		○
OTK-159	230	302	23	10×5 列	39	23	23	300	PP	0.5	○
OTK-160	290	210	32	5×2 列(重積防止)	89	47	25	500	APET	0.4	○
OTK-161	339	248	13	6×15 列	49.7	9.7	13	300	APET	0.4	○
OTK-162	325	460	22	5×4 列	99	54	17	150	APET	0.4	×
OTK-163	490	340	30	5×3 列	91	91	25	100	PP	0.5	×
OTK-164	510	325	18	5×4 列(重積防止)	89	68	13	100	APET	0.4	×
OTK-165	190	270	15	10×1 列	251	12	15	400	APET	0.5	×
OTK-166	362	575	27	10×2 列(重積防止)	160	50.5	23	150	APET	0.4	×
OTK-167	552	465	74	3×3 列	153	134	74	80	APET	0.6	○
OTK-168	500	400	20	3×4 列(重積防止)	148	79	15	150	APET	0.4	○
OTK-169	503.5	403.5	20	6×3 列	123.5	66.5	20	150	APET	0.4	×
OTK-170	410.8	166.8	26	15×5 列	20.2	18.2	16	200	APET	0.4	○
OTK-171	407	300	40	2×3 列	135	130	40	120	APET	0.5	×
OTK-172	580	495	19	4×5 列(重積防止)	133	72	14	100	APET	0.4	×
OTK-173	329	265	13	5×10 列(重積防止)	56.7	15.7	10	250	APET	0.4	○
OTK-174	300	200	21	10×1 列(重積防止)	150	25	15	350	APET	0.4	○
OTK-175	535	315	6	15(重積防止)	182	42	6	250	APET	0.3	×
OTK-176	535	315	20	5×4 列	93	60	22	200	APET	0.3	×
OTK-177	535	315	10	10×5 列(重積防止)	40	40	5	200	APET	0.3	×
OTK-178	330	497	23	1×13 列	460	17	20	250	APET	0.4	×
OTK-179	625	420	20	4×4 列(重積防止)	147	94	15	150	APET	0.4	×
OTK-180	334	492	36	10×1 列	286	34	35	80	PS	1	○
OTK-181	280	245	16	9×2 列	100	25	13	300	PP	0.6	○
OTK-182	310	225	25	6×2 列(底R)	127	30	25	500	PP	0.3	×
OTK-183	310	225	10	12×2 列(底R)	138	14	10	500	PP	0.3	×
OTK-184	310	225	12	26(底R)	120	15.3	12	500	PP	0.3	×
OTK-185	310	225	17	29(底R)	90	20.5	17	500	PP	0.3	×
OTK-186	195	140	17	1×10 列(底R)	120	16.6	17	1600	APET	0.4	×
OTK-187	520	320	13	8×10 列(重積防止)	56	25	10	300	PS	0.4	×
OTK-188	299	219	25	6×6 列	41	26	25	250	APET	0.4	○
OTK-189	460	310	15	45(重積防止)	115	20	15	200	APET	0.4	×
OTK-190	279.2	156.2	21	20×1 列(重積防止)	142.4	10.1	15	750	PP	0.4	×
OTK-191	277	202	51.5	3×2 列	91	83	51.5	400	APET	0.4	×
OTK-192	435	278	25	4×4 列(重積防止)	96	61	21	150	PP	0.5	×
OTK-193	405	269	19	5×4 列(重積防止)	92.5	49	15	180	APET	0.4	○
OTK-194	360	506	22	6×5 列	92	52	22	200	PP	0.4	○
OTK-195	315	225	9	6×3 列(重積防止)	64	45	5	400	APET	0.3	×
OTK-196	315	225	9	6×4 列(重積防止)	44	44	4	280	APET	0.3	×
OTK-197	315	225	9	6×5 列(重積防止)	43	33	5	280	APET	0.3	○
OTK-198	315	225	10	6×6 列(重積防止)	43	29	5	360	APET	0.3	○
OTK-199	258	206.5	11	20×3 列(重積防止)	52.5	9	7	500	PP	0.4	○
OTK-200	467	362	42	4×4 列	91	66	42	80	APET	0.5	×

■角形トレー一覧表■

品名	トレー外寸			形状 (マス目の数)	マス目底寸法			入り数	材質	厚み	小ロット 販売
	縦	横	高さ		底縦	底横	高さ				
OTK-201	304	198	33	5×4 列(重積防止)	50	21	30	140	APET	0.6	○
OTK-202	255	174	7	5×5 列	45.5	28.5	7	300	APET	0.4	○
OTK-203	447	372	17	8×5 列(重積防止)	60	45	12	100	APET	0.4	○
OTK-204	447	371	10	10×7 列(重積防止)	40	33	10	100	APET	0.4	×
OTK-205	420	360	18	12×9 列(重積防止)	32	21	15	100	APET	0.4	×
OTK-206	304	198	33	5×4 列(重積防止)	50	21	30	140	APET	0.6	×
OTK-207	352	272	20	5×5 列(重積防止)	57	39	15	350	APET	0.3	×

シーエステック株式会社

開発営業部 佐藤良平

〒101-0041

東京都千代田区神田須田町2-19 クレセールビル3F

TEL.03-6206-0597 FAX.03-6206-0598

URL.<http://www.cstec-jp.com>(テープ・フィルム加工)

URL.<http://www.cstec-jp.com/tray/>(トレイ)